

**Quote Submittal Form  
RFQ 26T-WX-360  
Construction Materials Blanket Purchase Agreement**

1) The undersigned, \_\_\_\_\_ (Company Name) on this date: \_\_\_\_\_, having familiarized itself with the local conditions affecting the scope and cost of work, and with the Specifications, including the Request for Quote (RFQ), Quote Submittal Form, General Conditions, Form of Contract, and the Scope of Work, hereby proposes to furnish all labor, material, equipment and services required to complete the project in accordance with all sections of this Request for Quote.

Vendor to submit a firm, fixed unit price per each line item to provide materials for this Construction Material Blanket Purchase Agreement as described in the RFQ. Additionally, the quote shall include all administrative requirements of the contract, as well as ancillary and miscellaneous work as described or reasonably inferable from the RFQ.

**HOW TO FILL OUT QUOTE SUBMITTAL FORM**

Vendors shall write-in the retail price per item (per the quantity stated) the discount to be applied, and the final discounted price. Note that items within each *category section* are intended as informative only and represent like materials within that category – not as exclusive and only such materials to be purchased. All items are FOB Anchorage, Alaska.

Item	Category Sections - Description	Retail Price	Percent (%) Discount	Final Price
<b>A: Exterior Doors</b>				
<b>EDOOR1</b>	<b>36" x 80" pre-hung exterior door including premium grade lockset, deadbolt, and hinges. Door frame shall be wood and shall have integral weather-stripping. The door shall be fiberglass-clad or steel-clad and insulated with high density polyurethane foam insulation having an R-value of 7.0 per inch thickness or greater. The door shall be thermally broken. No glazing.</b>			
<b>EDOOR2</b>	<b>34" x 80" pre-hung exterior door including premium grade lockset, deadbolt, and hinges. Door frame shall be wood and shall have integral weather-stripping. The door shall be fiberglass-clad or steel-clad and insulated with high density polyurethane foam insulation having an R-value of 7.0 per inch thickness or greater. The door shall be thermally broken. No glazing.</b>			
<b>ETHOLD1</b>	<b>Exterior threshold, metal exterior step with wood in-fill structure, thermally broken, with adjustable wood saddle, for 36" wide door.</b>			
<b>ETHOLD2</b>	<b>Exterior threshold, metal exterior step with wood in-fill structure, thermally broken, with adjustable wood saddle, for 34" wide door.</b>			
<b>Category A Final Price Total</b>				<b>\$</b>

B: Windows				
WV1	Vinyl-framed opening casement window, U-factor 0.26 or better, approx. 2.5'w x 3'h, meets egress requirements.			
WV2	Vinyl-framed fixed casement window, U-factor 0.26 or better, approx. 3'w x 3'h.			
WV3	Vinyl-framed opening casement window, U-factor 0.26 or better, approx. 2.5'w x 4'h, meets egress requirements.			
WV4	Vinyl-framed fixed casement window, U-factor 0.26 or better, approx. 3'w x 4'h.			
WV5	Vinyl-framed fixed casement window, U-factor 0.26 or better, approx. 4'w x 4'h.			
WV6	Vinyl-framed window, approx. 7' x 5' overall w/fixed 3'w x 5'h center and 2'w x 5'h opening casements each side, U-factor 0.26 or better.			
WW1	Wood-framed opening casement window, pre-primed, U-factor 0.26 or better, approx. 2.5'w x 3'h, meets egress requirements.			
WW2	Wood-framed fixed casement window, pre-primed, U-factor 0.26 or better, approx. 3'w x 3'h.			
WW3	Wood-framed opening casement window, pre-primed, U-factor 0.26 or better, approx. 2.5'w x 4'h, meets egress requirements.			
WW4	Wood-framed fixed casement window, pre-primed, U-factor 0.26 or better, approx. 3'w x 4'h.			
WW5	Wood-framed fixed window, pre-primed, U-factor 0.26 or better, approx. 4'w x 4'h.			
WW6	Wood-framed window, pre-primed, approx. 7' x 5' overall w/fixed 3'w x 5'h center and 2'w x 5'h opening casements each side, U-factor 0.26 or better.			
<b>Category B Final Price Total</b>				<b>\$</b>
C: Insulation				
FBATT1	Type I, R-19 fiberglass batts, unfaced, 23" x 93", approximately 8 batts/bag			
FBATT2	Type I, R-21 fiberglass batts, unfaced, 23" x 93", approximately 8 batts/bag			
FBATT3	Type I, R-38 fiberglass batts, unfaced, 24" x 48", approximately 8 batts/bag			
CELL1	Cellulose blow-in insulation, approximately 25 lb. bales.			
BLNFG1	Loose-fill blow-in fiberglass insulation, InsulSafe 4, 31 lb. bales; or equal.			
FOAMBD1	Type IV, Extruded polystyrene, 24" x 48" x 2", 25 psi, square edge.			

FOAMBD2	Polyisocyanurate boards, foil-faced both sides, 4' x 8' x 1.5", 25 psi, square edge, HCFC-141b.			
WHBLK1	Water heater insulation blanket for 50 gal. tank.			
<b>Category C Final Price Total</b>				<b>\$</b>
<b>D: Ventilation</b>				
RNGHD1	Kitchen range hood, Broan, ALT230SS; or equal.			
BFAN1	Bathroom exhaust fan, Panasonic, FV-05VQ5, or equal.			
BFAN2	Bathroom exhaust fan, Panasonic, FV-08VQ5; or equal.			
HRV1	Heat Recovery Ventilator, Venmar, AVS Constructo 1.0; or equal.			
DEHUM1	Broan, Dehumidistat 120v, DH100W; or equal.			
<b>Category D Final Price Total</b>				<b>\$</b>
<b>E: Ventilation Accessories</b>				
MDUCT1	Galvanized sheet metal duct, 26ga, 4" diameter x 2 ft (or 3 ft sections).			
MDUCT2	Galvanized sheet metal duct, 26ga, 6" diameter x 2 ft (or 3 ft sections).			
FOILTAPE 1	Aluminum Foil tape, 3M, tape #425, with easy-release liner, 2" X 60 yards, 1 case of 24 rolls; or equal.			
EXHOOD1	Exhaust weatherhood, aluminum, with gravity damper, for 4" diameter duct.			
MASTIC1	Duct mastic, Hardcast Duct Seal 321, 1 gallon; or RCD #6, or equal.			
<b>Category E Final Price Total</b>				<b>\$</b>
<b>F: General Carpentry</b>				
GWB1	Gypsum wall board, 1/2" x 4' X 8			
GWBX1	Gypsum wall board, Type X, 5/8" x 4' x 8'			
T-1-11-8	T-1-11 exterior paneling w/grooves @ 8" OC, 4' x 8'			
ACPLY2	3/8" AC subflooring, 4' x 8'			
SMRTLAP	LP SmartSide lap siding 5.8" x 8" reveal x 16' square cut; or equal			
SMRTRM	LP SmartSide trim 0.535" x 5.5" x 16'; or equal			
OSB1	7/16" OSB T&G Exposure 1 rated, 4'x 9'			
CDXPLY1	1/2" CDX T&G Exposure 1 rated, 4' x 8'			
CDXPLY2	3/4" CDX T&G Exposure 1 rated, 4' x 8'			
TREX-Dk	Trex 1" x 6" x 16' wood grain pattern; or equal			
TREX-Pst	Trex 4" x 4" x 8' post; or equal			

STUD1	2" x 4" x 92-5/8" SPF stud			
STUD2	2" x 6" x 92-5/8" SPF stud			
JOIST1	2" x 10" x 16' HF 2btr			
JOIST2	BCI 500 9-1/2" x 16'; or equal			
JOIST3	BCI 500 11-7/8" x 16'; or equal			
TRTD1	2" x 6" x 8' treated outdoor wood			
TRTD2	2" x 10" x 12' treated outdoor wood			
POST1	4" x 4" x 8' treated outdoor wood			
<b>Category F Final Price Total</b>				<b>\$</b>
<b>G: Roofing</b>				
ASPSHGL1	20 year, 120 mph rated, 3-tab Malarky Alaskan SBS modified asphalt shingles, 3 bundles per square; or equal.			
ICEWTR1	Grace Ice and Water Shield, 3ft x 75ft/per roll; or equal.			
RFCEM1	Gardner Wet/Dry all weather roof cement , 10 oz. caulk tube, 12/case; or equal.			
RFCEM2	Fields RubrMastic, roofing and waterproofing, M300 all-weather mastic, 1 gallon can; or equal.			
<b>Category G Final Price Total</b>				<b>\$</b>
<b>H: Paint</b>				
INTPAINT1	Sherwin Williams ProMar 200 interior latex paint egg shell white, 1 gallon can; or equal			
INTPAINT2	Fuller O'Brien Double AA Acrylic interior latex semi-gloss enamel, 1 gallon can; or equal			
EXTPAINT 1	Pittsburgh Manor exterior flat latex acrylic, apply down to 35 degrees, 1 gallon can; or equal			
<b>Category H Final Price Total</b>				<b>\$</b>
<b>I: Fasteners</b>				
DWSCRW2	Drywall screws, 8 x 1-3/8" 50# box			
DWSCRW3	Drywall screws, 8 x 1-5/8" 50# box			
PFNAIL1	Dewalt finish nails, 1-1/4", 16 gauge, 2500 nails/box - DCS16125; or equal			
<b>Category I Final Price Total</b>				<b>\$</b>

J: Sealants & Adhesives				
CAULK1	Paintable, white acrylic latex caulking with silicone, DAP, 10.1 fl. oz. cartridge, 12 per case, meets ASTM C834; or equal			
CAULK2	Red, fire-rated high performance intumescent acrylic latex sealant, DAP Blockade, 10.1 fl. oz. cartridge, 12 per case, meets ASTM E814/UL 1479; or equal			
BAKRRD1	Closed-cell polyethylene foam, DAP, 1/2" dia. X 20", 12 packages per case; or equal			
CONSTR ADH1	Construction adhesive, high strength, weatherproof bond, indoor or outdoor, bonds on wet, frozen and treated lumber, DAP subfloor and deck adhesive, 10.3 fl. oz. cartridge, 12 per case, meets APA AFG-01; or equal			
SPRYFM1	Hilti CF 812 low pressure filler foam - for window and door rough-in spaces and for air sealing holes throughout the building; 24/case; or equal			
FIRECOL1	1 1/2" I.D. Fire Barrier Restricting Collar, one piece metal collar assembly encasing 3M's heat expanding Ultra GS, used for new and retrofit installations to achieve up to 3 hour fire rating, or equal.			
FIRECOL2	2" I.D. Fire Barrier Restricting Collar, one piece metal collar assembly encasing 3M's heat expanding Ultra GS, used for new and retrofit installations to achieve up to 3 hour fire rating; or equal.			
Category J Final Price Total				\$
K: House Wrap & Vapor Retarders, and Accessories				
VR1	Vapor retarder, 6 mil thick, 20' x 100' roll.			
AIRSEAL1	Tremco acoustical sealant, 28.7 oz. cartridge, 12 per case; or equal.			
VRTAPE1	Vapor Retarder Tape, Venture CW cold weather acrylic adhesive tape, 3 mil thickness, 1-7/8" x 216' each roll, 1 doz			
VRTAPE2	Vapor Retarder Tape, Dow Saran 520, acrylic adhesive tape, 2 mil thickness, 1-7/8" x 216' each roll, 1 doz			
HSWRAP1	House wrap tape, DuPont Tyvek, 2" x 164' each roll, 1 doz			
HSWRAP2	House wrap, DuPont Tyvek, 9' x 150' roll.			
Category K Final Price Total				\$
L: Lighting				
CFL1	Philips Compact fluorescent light bulb, 13w, 2700k, 82 CRI, E-26 base, 12/case.			
CFL2	Philips Compact fluorescent light bulb, 15w, 2700k, 82 CRI, E-26 base, 12/case.			

CFL3	Philips, Compact fluorescent light bulb, 23w, 2700k, 82 CRI, E-26 base, 12/case.			
LED1	Philips LED light bulb, 8w, 3000k, 80 CRI, A-19, E-26 base, dimmable, 12/case.			
LED2	Philips LED light bulb, 14w, 3000k, 80 CRI, A-19, E-26 base, 12/case.			
<b>Category L Final Price Total</b>				<b>\$</b>
<b>M: Plumbing</b>				
PIPE1	Schedule 40, 3" dia x 10' ABS			
PIPE2	Type K, 3/4" x 10' copper pipe			
ZONEVA	Honeywell zone valve, 3/4" sweat fit, 200°F, 24v; or equal			
EXPTNK	Expansion Tank, 4.5gal, 220°F max			
PUMP	Grundfos Pump, Magna 65-60 F, 115v, 2.5" pipe			
TUB	5 ft. enameled steel bath tub (white)			
TOILET	Floor mount, 12" rough, comfort height, elongated, tank type water closet (white)			
TSEAT	Elongated, closed front, with cover, solid plastic toilet seat (white)			
FAUCETK	Single handle, chrome kitchen sink faucet with spray			
FAUCETL	Single handle, 4" center, chrome lavatory faucet			
DISPOSAL	Badger V or equal, 1/2 HP garbage disposal			
<b>Category M Final Price Total</b>				<b>\$</b>
<b>N: Electrical</b>				
CABLE	NM cable, 12ga, 100ft			
OUTLTBX1	2 x 4 outlet box, 1 hr rated, plastic			
OUTLTBX2	4 x 4 outlet box, 1 hr rated, plastic			
RECPT1	120v duplex receptacle			
RECPT2	120v GFCI duplex receptacle			
RECPT3	120v AFCI duplex receptacle			
<b>Category N Final Price Total</b>				<b>\$</b>
<b>O: Health, Safety &amp; Other Items</b>				
SMOKE DETECT1	Battery operated photoelectric smoke detector w/power-on indicator, U.L. listed.			
CRBNMON DETECT1	CO detector with LED readout, history recall, uses building power with battery backup, U.L. listed.			
FIREEXT1	2.5# ABC Fire extinguisher.			
<b>Category O Final Price Total</b>				<b>\$</b>

	<b>P: Other (write in name)</b>			
	<b>Negotiated discount for items not specified in the above table</b>	<b>N/A</b>	<b>____%</b>	<b>N/A</b>

**VENDORS TO NOTE THE FOLLOWING:**

- 2) CIHA reserves the right to reject any and all quotes at its sole discretion and for its convenience or benefit. The vendor agrees to execute and deliver to CIHA a Contract in the prescribed form within ten (10) days after the date CIHA mails or otherwise delivers to vendors CIHA’s written acceptance of the quote as the successful bid.
- 3) CIHA reserves the right to check for irregularities and make corrections to score appropriately.
- 4) The group of items shown in each Category A through O serves to give vendors an idea of the types of materials CIHA considers to be similarly and logically grouped per category. CIHA expects to purchase additional products “similar” to those items shown in each category. The percentage discount the vendor lists for each Category shall become the standard discount provided to CIHA when purchasing similar type items. For example, there are only eight (8) insulation items listed in Category C of the quote list detailed above and R-13 fiberglass batts is not included in that list. R-13 batts, however, are a “similar” material to the insulation materials listed. Therefore, CIHA expects that a purchase of R-13 batts would be provided with the same percentage discount as the vendor listed for Category C, Insulation products.
- 5) **Pricing submitted (in Category’s A through O). in the column labeled “Final Price” will be used to compare quotes and evaluate pricing by category.**
- 6) The Quote cannot be withdrawn for a period of forty-five (45) days without the express permission of CIHA.
- 7) I/We have enclosed with this bid the following items:
  - a. Quote Submittal Form
  - b. Representative, Certification, and Other Statement of Bidders (form HUD-5369-B).
  - c. Lobbying Certification Form and Disclosure Packet
  - d. Documentation that the Contractor is an American Indian/Alaska Native Business Concern (if applicable)

- 8) I/We further acknowledge receipt of the following  
addenda by checking the box(es):

Addendum No.: \_\_\_ Dated: \_\_\_\_\_

Addendum No.: \_\_\_ Dated \_\_\_\_\_

Addendum No.: \_\_\_ Dated: \_\_\_\_\_

Addendum No.: \_\_\_ Dated: \_\_\_\_\_

- 9) Non-Collusive Affidavit: By submission of this bid, the bidder certifies that making the foregoing proposal or bid, that such proposal or bid is genuine and not collusive or a sham; that said bidder has not colluded, conspired, connived or agreed, directly or indirectly, with any bidder or person, to put in a sham bid or to refrain from bidding, and has not in any manner, directly or indirectly, sought by agreement or collusion, or communications or conference, with any person, to fix the bid price of affiant or any other bidder, or to fix any overhead, profit or cost element or said bid price, or of that of any other bidder, or to secure any advantage against the CIHA or any person interested in the proposed contract; and that all statements in said proposal or bid are true.

- 10) I/We further understands the penalty for making false statements in offers is prescribed by federal law at 18 U.S.C. §1001.

Quote Submitted by:

**NAME OF VENDOR**

**OFFICIAL ADDRESS**

BY:

\_\_\_\_\_  
Signature

\_\_\_\_\_  
Address

\_\_\_\_\_  
Print Name and Title

\_\_\_\_\_  
City/State/Zip Code

\_\_\_\_\_  
Email:

\_\_\_\_\_  
Phone and Fax

\_\_\_\_\_  
Cage/Ncage#

\_\_\_\_\_  
DUNS#

\_\_\_\_\_  
SAM#